



## GS-441524 INFORMATION SHEET

GS-441524 is an antiviral drug which has been shown to be highly effective in treating Feline Infectious Peritonitis (FIP). Without treatment, FIP is 100% fatal.

### ADMINISTERING THIS MEDICATION

This medication, either liquid oral suspension, tablet or capsule can be given directly into your cat's mouth.

- Liquid Oral Suspension: You can either squirt the liquid directly into your cat's mouth using the provided syringe or mix it into a small portion of food or a treat your cat enjoys
- Tablet or capsule: The tablet or the capsule can be hidden in a small amount of food or a tasty treat or given directly by placing it into your cat's mouth.

It's recommended to give this medication on an empty stomach. Avoid feeding your cat a large meal for at least one hour after administration.

Your veterinarian may direct you to give your cat this medication either once or twice daily.

It is very important to make sure that your cat receives their prescribed dose(s) every day. If you miss a dose, give it as soon as you remember, and then continue with the regular dosing schedule. However, if it is almost time for the next dose, skip the missed dose and resume the regular dosing schedule. Failure to give your cat their medication every day as directed may lead to treatment failure.

12 weeks of antiviral treatment (such as with GS- 441524) is the current recommendation for FIP treatment. Do not stop treatment without consulting with your veterinarian. Stopping treatment prematurely can cause your cat to relapse and become sick again.

If you are having difficulty administering this medication, consult your veterinarian or pharmacist for advice on administration techniques. For online tips on administering medication to your cat, please check out the International Cat Care group's tips on medicating a cat:

**How to give a cat medication - International Cat Care**

<https://icatcare.org/articles/how-to-give-a-cat-medication>


### FORMULATION

**Dosage Form:** Oral Suspension

**Strength:** 50mg/mL

**Available Volumes:** 30 mL and above qualifies for free shipping, but you may order any volume you prefer

**Available Flavours:** Fish or Chicken





## FORMULATION, CONTINUED

**Dosage Form:** Tablets

**Strength:** 50 mg /Tablet (Quad-Scored)

**Available Volumes:** 30 tablets and above qualifies for free shipping, but you may order any number of tablets you prefer

**Available Flavours:** Fish or Chicken



**Dosage Form:** Capsules

**Strength:** 50mg/Capsule

**Available Volumes:** 30 capsules and above qualifies for free shipping, but you may order any number of capsules you prefer

**Available Flavours:** Fish or Chicken



## STORAGE AND HANDLING

GS-441524 oral suspension, tablets or capsules should be stored at room temperature.

There are no specific precautions for handling this medication unless you are allergic. Always wash your hands after handling or administering any medication.

## MONITORING

If your cat experiences new or worsening symptoms, consult your veterinarian, as a dosage adjustment or additional supportive care may be necessary.

It is very important to monitor your cat's weight (weekly) during treatment so that the dose can be adjusted for weight gain. Failure to adjust the dose for weight gain is a leading cause of treatment failure.